

Claims:

1.(Cancelled) A compound selected from the group consisting of

$$R_1$$
 R_2
 R_3
 R_1
 R_3
 R_4
 R_3
 R_4
 R_3

and

$$R_7$$
 R_8
 F
 O
 O

wherein R₁, R₇ and R₈ are independently selected from the group consisting of H, halo, alkyl, haloalkyl and hydroxy;

R₃ is hydroxy or -OCONH₂; and R₄ is hydroxy or carbonyl.

2. (Cancelled) The compound of claim 1 having the general structure:

wherein R_1 , R_7 and R_8 are independently selected from the group consisting of H, halo, alkyl, haloalkyl and hydroxy;

R₃ is hydroxy or -OCONH₂; and R₄ is hydroxy or carbonyl.

3. (Cancelled) The compound of claim 2 wherein R_7 and R_8 are H;

5 R_1 is H or F; and

R₄ is hydroxy or carbonyl.

4. (Cancelled) The compound of claim 1 having the general structure:

$$R_1$$
 R_7
 R_8
 F
 R_3
 $OCONH_2$

wherein R₁ is selected from the group consisting of halo, haloalkyl and hydroxy;

 $\rm R_7$ and $\rm R_8$ are independently selected from the group consisting of H, halo, alkyl, haloalkyl and hydroxy; and

R₃ is hydroxy or -OCONH₂.

5. (Cancelled) The compound of claim 4 wherein R₇ and R₈ are H;

R, is F; and

R₃ is hydroxy or -OCONH₂.

6. (Cancelled) The compound of claim 1 having the general structure

$$R_1$$
 OCONH₂

20

15

20

wherein R_1 is selected from the group consisting of H, halo, haloalkyl and hydroxy; and

R₃ is hydroxy or -OCONH₂.

- 5 7. (Cancelled) The compound of claim 6 wherein R₁ is H; and R₃ is -OCONH₂.
 - 8. (Cancelled) The compound of claim 1 having the general structure

$$R_1$$
 R_4 N O R_1

- wherein R_1 and R_7 are independently selected from the group consisting of H, halo, haloalkyl and hydroxy; and $R_4 \text{ is hydroxy or carbonyl.}$
 - 9. (Cancelled) The compound of claim 8 wherein R_7 is H.
 - 10. (Cancelled) The compound of claim 6 or 9 wherein R₁ is H or F.
 - 11. (Cancelled) A method for treating a patient suffering from a neurological disorder, said method comprising the step of administering a composition comprising a compound selected from the group consisting of

5

10

$$R_1$$
 R_3
 R_1
 R_3
 R_1
 R_3
 R_4
 R_3

and

$$R_7$$
 R_8
 F
 O
 O

wherein R_1 , R_7 and R_8 are independently selected from the group consisting of H, halo, alkyl, haloalkyl and hydroxy;

R₃ is hydroxy or -OCONH₂; and R₄ is hydroxy or carbonyl.

- 12. (Cancelled) The method of claim 11 wherein the composition is administered orally.
- 13. (Cancelled) The method of claim 12 wherein the unit dosage form of the composition comprises about 0.1 mg/kg to about 1 g/kg of said compound.
- 14. (Cancelled) The method of claim 13 wherein said compound has thegeneral structure

wherein R_1 is selected from the group consisting of H, halo, haloalkyl and hydroxy; and

R₃ is hydroxy or -OCONH₂.

5

15. (Cancelled) The method of claim 14 wherein R₁ is H; and R₃ is -OCONH₂.

16. (Cancelled) A method for treating a patient suffering from tissue

damage resulting from localized hypoxic conditions, said method comprising the
step of administering a composition comprising a compound selected from the
group consisting of

$$R_1$$
 R_2
 R_3
 R_1
 R_3
 R_4
 R_3
 R_4
 R_3

and

$$R_1$$
 R_3
 R_4
 R_4
 R_5
 R_4
 R_5
 R_4

15

wherein R₁, R₇ and R₈ are independently selected from the group consisting of H, halo, alkyl, haloalkyl and hydroxy;

R₃ is hydroxy or -OCONH₂; and R₄ is hydroxy or carbonyl.

10

25

17. (Cancelled) The method of claim 16 wherein said compound has the general structure

$$R_1$$
 OCONH₂

wherein R_1 is selected from the group consisting of H, halo, haloalkyl and hydroxy; and

R₃ is hydroxy or -OCONH₂.

- 18. (Cancelled) The method of claim 17 wherein R_1 is H; and R_3 is -OCONH₂.
- 19. (Cancelled) The method of claim 16 wherein the localized hypoxic condition is caused by cerebral ischemia.
- 20. (Cancelled) The method of claim 16 wherein the localized hypoxic condition is caused by myocardial ischemia.
 - 21. (Cancelled) The method of claim 16 wherein the composition is administered orally.
- 22. (Cancelled) The method of claim 16 wherein the composition is administered parenterally.
 - 23. (Cancelled) The method of claim 22 wherein the unit dosage form of the composition comprises about 1.0 mg/kg to about 1 g/kg of said compound and the composition is administered intravenously.

24. (Cancelled) A pharmaceutical composition comprising a compound selected from the group consisting of

$$R_1$$
 R_3
 R_1
 R_3
 R_1
 R_3
 R_4
 R_3
 R_3

and

$$R_7$$
 R_8
 F
 O
 O

wherein R₁, R₇ and R₈ are independently selected from the group consisting of H, halo, alkyl, haloalkyl and hydroxy;

R₃ is hydroxy or -OCONH₂; and

R₄ is hydroxy or carbonyl, and a pharmaceutically acceptable carrier.

25. (Cancelled) The composition of claim 24 wherein said compound has

the general structure

$$R_1$$
 R_3 OCONH₂

wherein R_1 is selected from the group consisting of H, halo, haloalkyl and hydroxy; and

R₃ is hydroxy or -OCONH₂.

5

5

15

- 26. (Cancelled) The composition of claim 25 wherein R₁ is selected from the group consisting of halo, haloalkyl and hydroxy.
 - 27. (Cancelled) The composition of claim 25 wherein R₁ is H; and R₃ is -OCONH₂.
- 28. (Cancelled) The composition of claim 24 wherein said compound has the general structure

$$R_1$$
 R_4
 R_4
 R_4
 R_4
 R_4

- wherein R_1 and R_7 are independently selected from the group consisting of H, halo, haloalkyl and hydroxy; and R_3 is hydroxy or -OCONH₂.
 - 29. (Cancelled) The composition of claim 28 wherein R₇ is H.
 - 30. (Cancelled) The composition of claim 25, 28 or 29 wherein R₁ is H or F.
 - 31.(NEW) A compound of the formula:

wherein: R₂ is halo; and R₃ is hydroxy or -OCONH₂.

	32.(NEW)	The compound of claim 31 wherein R ₂ is chloro or fluoro.
	33.(NEW)	The compound of claim 31 wherein R_2 is fluoro.
5	34.(NEW)	The compound of claim 31 wherein R ₃ is hydroxy.
	35.(NEW)	The compound of claim 31 wherein R ₃ is -OCONH ₂ .
10	36.(NEW)	The compound of claim 34 wherein R ₂ is chloro or fluoro.
	37.(NEW)	The compound of claim 34 wherein R_2 is fluoro.
	38.(NEW)	The compound of claim 35 wherein R_2 is chloro or fluoro.
15	39.(NEW)	The compound of claim 35 wherein R_2 is fluoro.
	40.(NEW)	A composition comprising a compound as described in claim 31, and a pharmaceutically acceptable carrier.
20	41. (NEW)	A composition comprising a compound as described in claim 39, and a pharmaceutically acceptable carrier.
25	42.(NEW)	A method for treating a patient suffering from a neurological disorder, comprising administering to the patient, an effective amount of a compound as described in claim 31.
	43.(NEW)	A method for treating a patient suffering from tissue damage resulting from localized hypoxic conditions comprising

5

administering to the patient, an effective amount of a compound as described in claim 31.

- 44.(NEW) A method for treating a patient suffering from a neurological disorder, comprising administering to the patient, an effective amount of a compound as described in claim 39.
- 45.(NEW) A method for treating a patient suffering from tissue damage resulting from localized hypoxic conditions comprising administering to the patient, an effective amount of a compound as described in claim 39.